

6929 N. Lakewood Avenue Tulsa, OK 74117

PUBLIC NOTICE OF NETWORK CHANGE UNDER RULE 51.329(a)

May 25, 2017

Carrier: Verizon Virginia LLC, 22001 Loudoun County Parkway, Ashburn, VA 20147

Contact: For additional information on these planned network changes, please contact:

Steven Tobia Global Engineering and System Performance Verizon Wireline Network Operations 13100 Columbia Pike Silver Spring, MD USA 20904 (410) 707-7964

John Dunne Senior Manager – Global Engineering and System Performance Verizon Wireline Network Operations 2147 Hwy 27 Edison, NJ USA 08817 (732) 593-4003

Implementation Date: On or after December 4, 2017

Planned Network Change(s) Will Occur at the Following Virginia Location(s):

Verizon Central Office	Address	CLLI
Falls Church EWSD Switch	6700 Lee Highway, Arlington, VA 22296	ARTNVAFCDS0
Fairfax CS2K Switch	10431 Fairfax Blvd, Fairfax, VA 22032	FRFXVAFFPS0

This notice may also be viewed at:

http://www.verizon.com/about/terms-conditions/network-disclosures

PLEASE NOTE:

- All references to the Falls Church EWSD switch are associated with CLLI code ARTNVAFCDS0 and will not be repeated throughout the notice.
- All references to the Fairfax CS2K switch are associated with CLLI code FRFXVAFFPS0 and will not be repeated throughout the notice.

Description of the Planned Network Change(s):

The Verizon Falls Church EWSD switch located at 6700 Lee Highway, Arlington, VA, 22296 will be retired and removed from the Verizon network. Traffic currently handled by the Falls Church EWSD switch will be migrated to the Fairfax CS2K switch located at 10431 Fairfax Blvd., Fairfax, VA, 22032. All traffic to be migrated to the Fairfax CS2K switch includes, but is not limited to Inter-LATA (ACCESS/FG-B-D/CLEC IXC), wireless, and paging traffic. All NPA NXX codes associated with the Falls Church EWSD switch will be re-homed to the Fairfax CS2K switch once the above changes have been made and are reflected in the LERG.

Description of Reasonably Foreseeable Impact(s) of the Planned Change(s):

All carriers including competitive local exchange carriers (CLECs), Interexchange carriers (IXCs, IECs), wireless and paging carriers will need to provision new trunk groups to support direct end office trunking to the Fairfax CS2K switch or have existing trunk groups to that switch augmented.

All ASRs for the Fairfax CS2K must be received no later than **October 4, 2017** in order to provide sufficient time to migrate the traffic described above. All trunks to the Fairfax CS2K must be in place prior to the decommissioning of the Falls Church EWSD switch, which will occur on or after **December 4, 2017**. All ASRs for the Fairfax CS2K switch must carry a project code of **ARTNVAFCRP0**.