



June 14 , 2023

Audience: CLEC,ISP,IXC,Resellers,Wireless,ILEC

Subject : Verizon Partner Solutions Industry Letter: Saratoga PA EWSD Switch Retirement

PLEASE NOTE:

- All references to the Saratoga PA EWSD switch are associated with CLLI code PHLAPASADS0 and will not be repeated throughout this letter.
- All references to the Market PA C20 switch are associated with CLLI code PHLAPAMKPS2 and will not be repeated throughout this letter.

As set out in the Verizon Pennsylvania LLC Public Notice of Network Change Under Rule 51.329(a), dated June 14, 2023, on or after February 1, 2024, the Saratoga PA EWSD switch will be retired and removed from the Verizon network as part of ongoing efforts to modernize the network.

General Information: The Exchange Codes (NXXs) in Numbering Plan Area (NPA) 215 currently residing in the Saratoga PA EWSD switch (see list in Table B below) will be moved to the Market PA C20 switch (see details in Table A below).

The five (5) native NPA NXXs belonging to the Saratoga PA EWSD switch will be rehomed upon decommissioning of the switch and reflected in the Local Exchange Routing Guide (LERG) for the Market PA C20 switch. This will occur on or after February 1, 2024.

Table A

	From	To
Entity	Saratoga SADS0	Market MKPS2
ClIi	PHLAPASADS0	PHLAPAMKPS2
Product	EWSD	C20
Location	5400 Woodland Avenue Philadelphia, PA 19143	900 Race Street Philadelphia, PA 19108
Point Code	246 023 060	246 023 007
NXX Type	EOC	EOC
OCN	9208	9208
Rate Center Lata	228	228
Rate Center	Saratoga	Market
State	PA	PA

Table B

NPA	NXX	TYPE	RATECENTER
215	724	EOC	SARATOGA
215	726	EOC	SARATOGA
215	727	EOC	SARATOGA
215	729	EOC	SARATOGA
215	730	EOC	SARATOGA

Network Changes and Trunk Rearrangements:

The Market PA C20 switch will be the recipient office of traffic migrated from the Saratoga PA EWSD switch. Traffic bound for the codes listed in Table B will be delivered via the Market 90T Tandem (PHLAPAMK90T).

After all traffic is migrated off the Saratoga PA EWSD switch, this switch will be retired and removed from the network.

CLECs, IXCs, IECs, wireless carriers, and paging carriers will need to secure new trunk groups built to the Market PA C20 switch or have existing trunk groups to that switch augmented. Carriers that have direct end office trunk (DEOT) with access connectivity in the Saratoga PA EWSD switch will be required to reposition the codes to the Market PA C20 switch.

All ASRs for the Market PA C20 switch must be received no later than January 5, 2024 to provide sufficient time to migrate the traffic described above. All traffic must be moved by February 1, 2024. All ASRs for the Market PA C20 switch must carry the project code of **PHLAPASADS0**.

Please adhere to industry standards using normal procedures that pertain to updates and changes to the LERG for all NXXs subject to the retirement of the Saratoga PA EWSD switch.

For inquiries related to the proposed network reconfiguration, or to arrange a meeting with Verizon Network Engineering and Planning personnel, please contact your Verizon Account Manager.

We look forward to working with your team to enable uninterrupted service during the network redesign and transitioning of your traffic.

This communication is provided by the VPS Account Management Support. Requests to subscribe or unsubscribe to this distribution may be processed at:
<http://www22.verizon.com/wholesale/subscriptions/>