



January 31 , 2024

Audience: CLEC,ISP,IXC,Resellers,Wireless,ILEC

## Subject : Verizon Partner Solutions Industry Letter: Salem, NY DMS10 Switch Retirement

### PLEASE NOTE:

- All references to the Salem, NY DMS10 switch are associated with CLLI code SALMNYSMDS0 and will not be repeated throughout this letter.
- All references to the Albany, NY Packet End Office (PEO) switch are associated with CLLI code ALBYNYSSPS1 and will not be repeated throughout this letter.

As set out in the Verizon New York Inc. Public Notice of Network Change Under Rule 51.329(a) dated January 31, 2024, on or after August 1, 2024 the Salem, NY DMS10 switch will be retired and removed from the Verizon network as part of ongoing efforts to modernize the network.

**General Information:** The Exchange Code (NXX) in Numbering Plan Area (NPA) 518 currently residing in the Salem, NY DMS10 switch (see list in Table B below) will be moved to the Albany, NY PEO switch (see details in Table A below).

The native NPA NXX belonging to the Salem, NY DMS10 switch will be rehomed upon decommissioning of the switch and reflected in the Local Exchange Routing Guide (LERG) for the Albany, NY PEO switch. This will occur on or after August 1, 2024.

**Table A**

	From	To
Entity	Salem, NY EO	Albany, NY PEO
CLLI	SALMNYSMDS0	ALBYNYSSPS1
Product	DMS10	C20
Location	34 East Broadway Salem, NY 12865	158 State Street Albany, NY 12207
Point Code	247 015 030	247 015 006
NXX Type	EOC	EOC
OCN	9104	9104
Rate Center LATA	134	134
Rate Center	Salem	Multi
State	NY	NY

**Table B**

NPA	NXX	TYPE	Switch
518	854	EOC	SALMNYSMDS0

### Network Changes and Trunk Rearrangements:

The Albany, NY PEO switch will be the recipient office of traffic migrated from the Salem, NY DMS10 switch. Traffic bound for the codes listed in Table B will be delivered via the Albany NY Tandem (ALBYNYSS5GT intra-lata SHA/ALBYNYSS5GT inter-lata FG Access SHA).

After all traffic is migrated off of the Salem, NY DMS10 switch, it will be retired and removed from the network.

CLECs, IXCs, IECs, wireless carriers and paging carriers will need to secure new trunk groups built to the Albany, NY PEO switch or have existing trunk groups to that switch augmented. Carriers that have direct end office trunks (DEOT) with access connectivity in the Salem, NY DMS10 switch will be required to reposition the codes to the Albany, NY PEO switch.

All ASRs for the Albany, NY PEO switch must be received no later than June 14, 2024 to provide sufficient time to migrate the traffic described above. All traffic must be moved by August 1, 2024. All ASRs for the Albany, NY PEO switch must carry the project code of SALMNYSMDS0.

Please adhere to industry standards using normal procedures that pertain to updates and changes to the LERG for all NXXs subject to the retirement of the Salem, NY DMS10 switch.

For inquiries related to the proposed network reconfiguration, or to arrange a meeting with Verizon Network Engineering and

Planning personnel, please contact your Verizon Account Manager.

We look forward to working with your team to enable uninterrupted service during the network redesign and transitioning of your traffic.

This communication is provided by the VPS Account Management Support. Requests to subscribe or unsubscribe to this distribution may be processed at:

<https://www22.verizon.com/wholesale/subscriptions/e-mail-subscriptions.html>